



UTTAR PRADESH POLLUTION CONTROL BOARD

TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone: 0522-2720828, 2720831 Fax: 0522-2720764

Email: info@uppcb.com Website: www.uppcb.com

FORM III (See Rule 10) AUTHORISATION

(AUTHORISATION FOR OPERATING A FACILITY FOR COLLECTION, RECEPTION, TREATMENT, STORAGE, TRANSPORT AND DISPOSAL OF BIOMEDICAL WASTES)

1. File no. of authorisation and date of issue: No:- 23858019 and Date:-19/01/2024
2. M/s MS AV BIOMEDICAL WASTE SERVICES, VINAY KUMAR RAI an occupier or operator of the facility located at Village- Rajdhani, Tehsil- Nautanwa, Maharajganj, Uttar Pradesh. is hereby granted an authorisation for:

Generation, segregation

Collection



Storage



Transportation



Reception



Use

Recycling

Offering for sale

Packaging

Transfer

Treatment or Processing or Conversion



Disposal or destruction



Any other form of handling

3. M/s MS AV BIOMEDICAL WASTE SERVICES is hereby authorized for handling of biomedical waste as per the capacity given below:
 - (i) Number of beds of HCF:
 - (ii) Number of health care facilities covered by CBMWTF:
 - (iii) Installed treatment and disposal capacity: Incinerator 250 Kg/Hr, Autoclave 1000 Kg/batch, Shredder 150 Kg/Hr and Chemical Disinfection Tank 1500 liters
 - (iv) Area or distance covered by CBMWTF: 75 Km Radius
 - (v) Quantity of Biomedical waste handled, treated or disposed:
4. This authorisation shall be in force for a period of Five Years Years from the date of issue.
- 4.1 The authorization shall be valid for till 15/12/2028

5. This authorisation is subject to the conditions stated below and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986

Chief Environmental Officer, Circle-6

Terms and Conditions of Authorisation

1. The authorisation shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made there under.
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the prescribed authority.
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the biomedical wastes without obtaining prior permission of the prescribed authority.
4. Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
5. It is the duty of the authorised person to take prior permission of the prescribed authority to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.
6. The Unit will file the renewal application at least 2 months prior to the expiry of this Order

Specific Conditions:

1. This authorization is valid for M/s. AV Biomedical Waste Services, Khasra no-274 and 279, VillageRajdhani, Tehsil-Nautanwa, Maharajganj, Pin code- 273162 having component with capacity- Incinerator 250 Kg/Hr, Autoclave 1000 Kg/batch, Shredder 150 Kg/Hr and Chemical Disinfection Tank 1500 liters. In Case of any changes, enhancement etc., No Objection Certificate shall be obtained from the Board.
2. The Authorization shall comply with provisions of the Environment (Protection) Act 1986 and the rules made there under.
3. The Authorization or its renewal shall be produced for inspection at the request of an officer, Authorized by the prescribed authority.
4. The Authorized person shall not rent, lend, transfer or otherwise transport the bio-Medical waste without obtaining prior permission of the prescribed authority.
5. It is duty of the Authorized person to take prior permission of the Board to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.
6. Any unauthorized change in personnel, equipment or working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
7. Bio- Medical waste shall not be mixed with other waste.
8. Bio- Medical waste shall be segregated into containers/ bags at the point of generation in accordance with schedule II. Prior to its storage, transportation, treatment and disposal. The Containers shall be labeled according to schedule III.
9. No untreated bio medical waste shall be kept stored beyond a period of 48 hours.
10. You shall submit an annual report to the U.P. Pollution Control Board in form IV by 30th June every year. And include information about the categories and quantities of Bio Medical waste during the preceding year.
11. You shall maintain record related to the generation, collection, reception storage, Transportation, treatment and disposal and/or any form of handling of Bio Medical Waste in accordance with rule and guidelines, all records shall be subject to inspection and verification by the Board at any time.
12. It is within the power and functions of U.P. Pollution Control Board to modify/ revoke the terms and conditions of Authorization and issued under the Rule 7 (8) of the Bio-Medical waste Management Rules, 2016.
13. You are hereby directed to comply the stipulated above mentioned conditions and submit the compliance report and steps taken in this regard within a month so that capacity of the facility may be verified failing which the authorization may be revoked and necessary legal proceeding shall be initiated.
14. The Bio medical waste shall not be disposed in open place in the premises.

15. The CBWTF shall maintain logbook for the disposal of bio medical waste.
16. The CBWTF shall install bar code system within 15 days.
17. Discarded medicine shall be disposed in incinerator as per BMW Rule, 2016 and sharp pit shall be provided for disposal of waste sharp as per CPCB Guidelines.
18. The CBWTF shall comply with the Bio Medical Waste Management Rules 2016 and annual report shall be submitted.
19. The CBWTF shall comply with the provisions of Hazardous and Other waste (Management and Trans boundary Movement) Rules, 2016.
20. The facility shall ensure bar coding system to be adopted by member of healthcare facility in accordance with Bio Medical Waste Management Rules 2016.
21. The CBWTF shall obtain the State Ground Water Department permission for withdrawal of ground water and also comply with the CGWA guidelines for recharging of ground water.
22. The Facility shall develop and maintain green belt as per the guidelines issued by the Board vide office order dated 16/02/2018, which is available on Board's Website- www.uppcb.com.
23. Separate space for untreated Bio Medical Waste shall be maintained by facility as per CPCB guidelines/Bio Medical Waste Management Rules 2016.
24. Comprehensive safety measures must be followed in handling of wastes and the staff must be properly trained.
25. The CBWTF shall connect OCEMS to CPCB server before commissioning of the plant.
26. Onsite emergency plan approved by the competent authority shall be submitted to board.
27. The CBWTF shall comply with the Guideline of CPCB and shall only cater to beds which are in addition to 10,000 beds admissible to pre-existing CBWTFs located within 75 km radius. If any modification is required as per BMW rules, 2016 it will done and inform to the Board.
28. The CBWTF shall abide by orders / directions issued by Hon'ble Supreme Court Hon'ble High Court, Hon'ble National Green Tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
29. The CBWTF shall produce a MoU with the nearest CBWTF as an alternate arrangement in case of closure/any emergency before CTO.
30. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this authorization and attract action under the provisions of Environment (Protection) Act, 1986.

RAM
KARAN

Digitally signed
by RAM KARAN
Date: 2024.01.29
12:08:41 +05'30'

RAM
KARAN

Digitally signed by
RAM KARAN
Date: 2024.01.29
12:08:57 +05'30'
Dated:19/01/2024

Memo No.: 23858019

Copy To:

Regional Officer, U.P. Pollution Control Board, Gorakhpur for information and necessary action

RAM

Digitally signed
by RAM KARAN

KARAN

Date: 2024.01.29

Chief Environmental Officer, Circle-6
12:09:12 +05'30'



मिशन LIFE - पर्यावरण के लिए जीवन शैली (Lifestyle For Environment) जनसहभागिता का सन्देश



- स्वच्छता – देशसेवा में अपने परिवेश की स्वच्छता हेतु अपना सक्रिय योगदान सुनिश्चित करें
- संकल्प लें -एकल उपयोग प्लास्टिक उत्पाद जैसे कप, तश्तरी, चम्मच, स्ट्रॉ, ईयरबड्स आदि का उपयोग न हो एवं पर्यावरण अनुकूल विकल्पों जैसे कागज/पत्तों से बने दोने या कटलरी को प्राथमिकता दी जाय |
- एकल उपयोग प्लास्टिक उत्पाद के प्रयोग को रोकने एवं प्लास्टिक बैग के बजाय कपड़े के थैले का उपयोग करने मात्र से 375 मिलियन टन ठोस (प्लास्टिक) कचरे का उत्सर्जन बचाया जा सकता है
- चक्रीय अर्थव्यवस्था (सर्कुलर इकोनॉमी) का समुचित कार्यान्वयन वर्ष 2030 तक लगभग 14 लाख करोड़ रुपये की अतिरिक्त बचत उत्पन्न कर सकता है | वेस्ट /अपशिष्ट फेकने के पूर्व सोचें, ये किसी का संसाधन तो नहीं ...?
- अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को कचरे में फेकने से रुकें | इसके उपयुक्त निस्तारण हेतु इसे प्राधिकृत ई – वेस्ट रीसाइकलर को दें | प्राधिकृत ई-रीसाइकिलिंग इकाई में अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को देने मात्र से 0.75 मिलियन टन तक ई-कचरे का पुनर्चक्रण किया जा सकता है एवं ई-कचरे के विषम पर्यावरणीय दुष्प्रभाव से बचा जा सकता है
- बाहर जाते समय - सोचें कि क्या आपको वास्तव में परिवहन की आवश्यकता है - वह भी क्या व्यक्तिगत रूप से ? छोटी दूरी के लिए पैदल चलना पसंद करें, अथवा सम्भव हो तो कार पूल के रूप में संसाधन को साझा करें अथवा सार्वजनिक परिवहन पर विचार करें
- घरेलू स्तर पर कम से कम ठोस अपशिष्ट का उत्सर्जन करें और इनका प्रथाक्रीकरण करें
- उपयोगी शेष खाद्य सामग्री आपके स्वयं प्रयास अथवा निकटस्थ सक्रिय स्वयं सेवी संस्थाओं की सहायता से समाज के वंचित वर्ग तक पहुंचाई जा सकती है | वहीं अनुपयोगी भोजन /खाद्य सामग्री को कंपोस्ट (वर्मी कम्पोस्ट) करने से 15 अरब टन भोजन को नष्ट होने से बचाया जा सकता है
- ध्यान रखें - उपयुक्त नल और शावर के उपयोग से पानी की खपत को 30 - 40% तक कम किया जा सकता है। एवं उपयोग में न होने पर नलों को बंद रखने मात्र से 9 ट्रिलियन लीटर पानी बचाया जा सकता है
- ट्रैफिक लाइट/रेलवे क्रॉसिंग पर कार/स्कूटर के इंजन बंद करने मात्र से 22.5 बिलियन kWh तक ऊर्जा की बचत हो सकती है
- परम्परागत बल्ब के स्थान पर CFL का उपयोग बिजली की खपत में प्रभावी कमी लाते हैं | उपयोग में न होने पर बिजली उपकरणों को बंद करें | स्टार रेटेड विद्युत उपकरणों के उपयोग को प्राथमिकता दें

हमारे द्वारा अपनी जीवन शैली की प्राथमिकताओं का उचित और पर्यावरण अनुकूल पुनर्निर्धारण समाज और पर्यावरण के प्रति हमारा दायित्व है |